

c.c. CasinoKoksijde
Technical Rider
Theaterzaal



Index

.....	1
Contact	3
Technical rider Theaterzaal	3
Basic gear.....	3
<i>Address</i>	3
<i>Loading / unloading</i>	3
<i>Capacity</i>	3
<i>Stage dimensions</i>	4
<i>Stagedressing</i>	4
<i>Elektricity</i>	4
<i>Dressing rooms</i>	4
Photo's	5
Technical specs	7
<i>Rigging chart</i>	7
<i>Intercom</i>	7
Lighting.....	7
<i>Lightingdesks</i>	7
<i>Fixtures</i>	8
Sound.....	8
<i>mixers</i>	8
<i>FOH PA system</i>	8
Video.....	8
<i>Piano</i>	8

Contact

c.c. CasinoKoksijde
Miguel Rooms
Casinoplein 11
8670 Koksijde

miguel.rooms@koksijde.be

+32 479 40 50 08


Technical rider Theaterzaal

Basic gear

Address

c.c. CasinoKoksijde, Casinoplein 11 8670 Koksijde 058/53.29.99.

Loading area Kurssaallaan 49, 8670 Koksijde .



Loading / unloading

Trucks can drive up to the service elevator. The lift has a capacity of 3600kg and maximum dimensions of 4m60 by 2m90.

Capacity

The theater has a theater auditorium shape and has 430 seats, whereof 13 removable seats. The first block of seats have fold-out tables.

Stage dimensions

Stage is curved.
Proscenium height 10m.
Proscenium width 5m.
center to front stage 2m80.
Center to backwall 6m95.
Center to white cyclo/ backdrop 5m60.
Clearance 9m55

Stagedressing

4 legs each side black velour.
4 borders black velours.
1 full backdrop black velour.
White cyclo.
Black maindrape dmx controlable

Elektricity

Enough power cour and jardin 220V + grounding.
3 x 380V 32A + N + grounding backstage for audio
3 x 380V 63A + N + grounding backstage for audio
3 x 380V 32A + N + grounding backstage.
3 x 380V 63A + N + grounding backstage.
3 x 380V 125A + N + grounding backstage.

Dressing rooms

2 dressing rooms for 3 persons.
Each rooms has a shower, sink, mirrors, hot and cold running water.
1 greenroom with refrigerator, coffeemaker, mirrors, hot and cold running water, iron and ironing board.





Technical specs

Rigging chart

22 motorized pipe
measurement form center

Zaalbrug	-800cm	
T -1	-150cm	Length :10m
T1	0cm	Length:4m64
T2	25cm	Length:5m93
T3	50cm	Length:7m95
T4	75cm	Length:9m85
T5	100cm	Length:9m85
T6	125cm	Length:9m85
T7	150cm	Length:9m85
T8	175cm	Length:9m85
T9	200cm	Length:9m85
T10	230cm	Length:9m85
T11	260cm	Length:9m85
T12	290cm	Length:9m85
T13	320cm	Length:9m85
T14	350cm	Length:9m85
T15	380cm	Length:9m85
T16	410cm	Length:9m85
T17	440cm	Length:9m85
T18	470cm	Length:9m85
T19	500cm	Length:9m85
T20	530cm	Length:9m85
T21	560cm	Length:9m85

Minimum clearance 0m10

Maximum clearance 9m40

Intercom

1	TELEX	US2000A	main
1	TELEX	SS2000	fixed position
4	TELEX	BP1000	beltpack
5	SENNHEISER	DWi800	wireless intercom
6	KENWOOD	Protalk	walkie talkie

Lighting

Lightingdesks

1	ADB	MENTOR 120
1	ADB	CANTOR 96
1	CHAMSYS	MQ 60

Fixtures

Hall light on dmx

90	ADB	EURODIM 2	dimmers	3 kW
10	ADB	C201	pc	2000W (fixed in zaalbrug)
10	ADB	WARP	profile 12° - 30°	800W (fixed in zaalbrug)
28	ADB	C103	pc	1000W
2	ADB	DS 205	profile 13° - 36°	2000W
1	ADB	DN205	profile	2000W
14	ADB	DS105	profile 15°-31°	1000W
4	ADB	DVW105	profile 37°-58°	1000W
12	ADB	F101	fresnel	1000W
12	ADB	ACP1001	asymm cycl	1000W
24	THOMAS	PAR64 safe	cp60	1000W
24	DTS	PAR64 safe	cp61	1000W
24	DTS	PAR64 safe	cp62	1000W
12	THOMAS	PAR64 floor	cp60/61/62	1000W
4	MANFROTTO	ST 145	stand	height between 130 and 320cm
2	MANFROTTO	ST 111U	stand	height 146 and 380cm
10	BREAK IN		6xcee16A to 419 Socapex in out	

Sound

mixers

1	BEHRINGER	X32	32 channel digital desk
---	-----------	-----	-------------------------

FOH PA system

4	TURBOSOUND	TCS 612	
4	TURBOSOUND	TCS 618	
1	BSS	FDS336	processor
4	CARVER	PX1450	amps

Video

1	BARCO	RLMW8	HD Projector 7500 AnsiLumen
1	Edirol	V40HD	videomixer
1	ONKYO	BD-SP809	Dolby digital processor

JBL speakers en QSC digital amps

Piano

Type
Steinway- Model C-227 Piano Black with black piano chair